Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16	3	identif$3 with (vacan$2 unused idle) same re-transmitt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:17
S17	11	identif$3 with (vacan$2 unused idle) same retransmitt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:17
S18	43	identif$3 with (vacan$2 unused idle available) same retransmitt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:18
S19	22	identif$3 with (vacan$2 unused idle available) with frame and best adj effort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:20
S20	0	370/528.ccls. and best adj effort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:21
S21	43	370/528.ccls. and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:23
S22	22	370/528.ccls. and base adj station and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:27
S23	80	scheduled adj2 packet and best adj effort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:28
S24	126	scheduled adj2 packet and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:28
S25	26	scheduled adj2 packet and base adj station and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:34
S26	0	unscheduled adj2 packet and base adj station and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:34

S27	0	un-scheduled adj2 packet and base adj station and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:34
S28	0	un-schedul$3 adj2 packet and base adj station and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:34
S29	0	without with schedul$3 adj2 packet and base adj station and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:34
S30	7	without with schedul$3 with packet and base adj station and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:35
S31	52	370/528.ccls. and packet and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:40
S32	681	unschedul$3 same schedul$3 and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:40
S33	395	unschedul$3 same schedul$3 and @ad<"19990308" and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:40
S34	37	unschedul$3 same schedul$3 and @ad<"19990308" and power with unschedul$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:47
S35	1	ACK with packet with multiplex$3 with frame and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:48
S36	1	ACK with packet with multiplex$3 with slot? and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:49
S37	1	acknowledge with packet with multiplex$3 with slot? and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:49

S38	4	acknowledge same packet same multiplex$3 with (slot? frame) and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:50
S39	51	acknowledge same packet same multiplex$3 and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:50
S40	41	acknowledged same packet same multiplex$3 and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:52
S41	17	acknowledged same stream same multiplex$3 and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:55
S42	1255	(unused available idle unreserv$3) same stream same multiplex$3 and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:56
S43	59	(unused available idle unreserv$3) same stream same multiplex$3 same power and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 14:59
S44	17	(unused available idle unreserv$3) same stream same multiplex$3 same (slot channel) same power and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:02
S45	139	(unused available idle unreserv$3) same stream same multiplex$3 same (slot channel) same frame and @ad<"19990308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:02
S46	70	(unused available idle unreserv$3) same stream same multiplex$3 same (slot channel) same frame and @ad<"19990308" and (power energy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:03
S47	6	(unused available idle unreserv$3) same stream same multiplex$3 same (slot channel) same frame and @ad<"19990308" and (power energy) and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:05
S48	106	(unused available idle unreserv$3) same multiplex$3 same (slot channel) same frame and @ad<"19990308" and (power energy) and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:48

S49	0	(unused available idle unreserv$3) same multiplex$3 same voice same data same frame and @ad<"19990308" and (power energy) with full with (asynchronous data) and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:49
S50	3	(unused available idle) same multiplex$3 same voice same data same frame and @ad<"19990308" and (power energy) with full and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 15:55
S51	17	multiplex$3 same voice same data same frame and @ad<"19990308" and (power energy) with full and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:01
S52	6	insert$3 same voice same data same frame and @ad<"19990308" and (power energy) with full and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:01
S53	6	insert$3 same voice same data same frame and @ad<"19990309" and (power energy) with full and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:02
S54	2	370/493-495.ccls. and @ad<"19990309" and (power energy) with full and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:04
S55	14	370/493-495.ccls. and @ad<"19990309" and (power energy) and (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:07
S56	0	370/493-495.ccls. and @ad<"19990309" and (power energy) and (base adj station) with voice with data with frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:15
S57	41	@ad<"19990309" and (power energy) and (base adj station) with voice with data with frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:53
S58	72	steven near2 nguyen and power with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:12
S95	33	@ad<"19990309" and (power energy) and ABR and access adj point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:03

S96	20	@ad<"19990309" and (power energy) and ABR and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:08
S97	18	@ad<"19990309" and (power energy) and ABR and base adj station and (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:15
S98	73	@ad<"19990309" and (power energy) with priority and base adj station and (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:17
S99	5	@ad<"19990309" and (power energy) with priority with packet and base adj station and (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:18
S10 0	8	@ad<"19990309" and (power energy) same priority same packet same (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:20
S10 1	46	@ad<"19990309" and (power energy) same priority same data same (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:25
S10 2	203	@ad<"19990309" and (power energy) same type with data same (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:25
S10 3	58	@ad<"19990309" and (power energy) same type near2 data same (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:28
S10 4	193	@ad<"19990309" and (power energy) same voice with data same (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:36
S10 5	23	@ad<"19990309" and (power energy) same qos same (downlink forward)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:38
S10 6	69	@ad<"19990309" and (power energy) with transmi$5 with priority with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:39

S107	17	@ad<"19990309" and (power energy) with transmi$5 with priority with data and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:42
S108	80	@ad<"19990309" and (power energy) with transmi$5 with type with data and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:48
S109	31	@ad<"19990309" and (power energy) with transmi$5 with type with data and base adj station and multiplex$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/09 18:49
S116	514	retransmi$5 same power and base adj station	USPAT	OR	ON	2006/02/10 08:53
S117	256	retransmi$5 same power and base adj station and @ad<"19990308"	USPAT	OR	ON	2006/02/10 09:04
S118	35	retransmi$5 same power and base adj station and @ad<"19990308" and available with frame	USPAT	OR	ON	2006/02/10 08:59
S121	88	retransmi$5 same power and base adj station and @ad<"19990308" and retransmi$5 with packet	USPAT	OR	ON	2006/02/10 09:01